



Exchange bias due to coupling between coexisting antiferromagnetic and spin-glass orders



Eran Maniv^{1,2}, Ryan A. Murphy¹, Shannon C. Haley^{1,2}, Spencer Doyle^{1,2}, Caolan John^{1,2}, Ariel Maniv^{3,4}, Sanath K. Ramakrishna⁴, Yun-Long Tang^{1,2}, Peter Ercius², Ramamoorthy Ramesh^{1,2}, Arneil P. Reyes⁴, Jeffrey R. Long^{1,2} and James G. Analytis^{1,2}

1. University of California, Berkeley, CA, USA. 2. Lawrence Berkeley National Laboratory, Berkeley, CA, USA.

3. Nuclear Research Center – Negev, Beer Sheva, Israel. 4. National High Magnetic Field Laboratory, Tallahassee, FL, USA.

Funding Grants: J.G. Analytis (EFRC and Moore GBMF-9067); J.R. Long (DMR-1611525); G.S. Boebinger (NSF DMR-1644779)

Ferromagnetism (FM) and anti-ferromagnetism (AFM) are stable magnetic states with an ordered arrangement of magnetic moments, typically determined by the crystal structure of the host material. By contrast, a spin-glass is a metastable magnetic state in a material in which the magnetic moments of the atoms are disordered in a manner that is a magnetic analog to the amorphous atomic structure of ordinary window glass.

Fe_xNbS₂ is an unusual material in that it hosts both AFM and spin-glass states simultaneously, with the AFM state influencing the properties of the spin-glass state via the property of exchange bias. In previously studied thin film materials, this exchange bias results in the magnetization curves being offset by ~ 0.01T. By contrast, in single crystal Fe_{0.35}NbS₂, researchers find that the exchange bias is ~ 1T, a factor of 100 greater!

The demonstration of the role of disorder in the physics of exchange bias in a single crystal is a breakthrough. These results offer a compelling basis for more investigations on how bulk disorder impacts the exchange bias in devices beyond engineered thin film materials.

Facilities and instrumentation used: Cell 8, 35T

Citation: Maniv, E.; Murphy, R.A.; Haley, S.C.; Doyle, S.;

John, C.; Maniv, A.; Ramakrishna, S.K.; Tang, Y.; Ercius, P.; Ramesh, R.; Reyes, A.P.; Long, J.R.; Analytis, J.G., *Exchange bias due to coupling between coexisting antiferromagnetic and spin-glass orders*, **Nature Physics**, **17**, 1-7 (2021) doi.org/10.1038/s41567-020-01123-w

